

## 7507

Lamps with metal bases for cars



### Product benefits

- Wide product range
- Reliable quality

### Product features

- Original spare parts

Technical data



Electrical data

Power input	25 W
Nominal wattage	21 W
Nominal voltage	12 V
Power input tolerance	±6 %
Test voltage	13.5 V

Light technical data

Luminous flux	280 lm
Luminous flux tolerance	±20 %

Dimensions & weight



Product line drawing

Base

Length	52.6 mm
Diameter	25.0 mm
Product weight	8.00 g

Lifespan

Lifespan B3	250 h
Lifespan Tc	500 h

Additional product data

Base (standard designation)	BAU15s
-----------------------------	--------

Certificates & standards

Product datasheet

ECE category	PY21W
--------------	-------

Country specific categorizations

Order reference	7507
-----------------	------

Country specific information

Product code	METEL code	SEG-No.	STK number	UK Org
4050300891477	OSRA7507	-	-	-
4050300925462	OSRA7507BLI2	-	4730329	-

## Product datasheet

---

### Logistical Data

---

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (height x width x length)	Volume	Gross weight
4050300891477	7507	Unpacked 1	18 mm x 16 mm x 30 mm	0.01 dm <sup>3</sup>	8.00 g
4050300891484	7507	Folding carton box 10	101 mm x 54 mm x 99 mm	0.54 dm <sup>3</sup>	102.00 g
4008321091000	7507	Shipping carton box 50	145 mm x 65 mm x 273 mm	2.57 dm <sup>3</sup>	560.00 g
4050300925462	7507	Blister 2	46 mm x 28 mm x 64 mm	0.08 dm <sup>3</sup>	21.00 g
4008321140517	7507	Shipping carton box 20	80 mm x 104 mm x 280 mm	2.33 dm <sup>3</sup>	271.20 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

### Disclaimer

---

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.